

STACK
ANNEX


5

061

534

B

00000026864



UC SOUTHERN REGIONAL LIBRARY FACILITY

THE
ART OF ANGLING

GREATLY IMPROVED:

CONTAINING

THE MOST ESTEEMED METHODS OF ANGLING FOR

POND AND RIVER FISH;

THE BAITS FOR EACH, AND HOW TO OBTAIN
AND PRESERVE THEM;

THE CHOOSING OF RODS AND TACKLE;

ALSO,

INSTRUCTIONS IN EVERY BRANCH OF

FLY-FISHING,

AND FOR THE MAKING OF FLIES.



DERBY:

THOMAS RICHARDSON AND SON

172, FLEET ST. LONDON,


AND 9, CAPEL STREET, DUBLIN.

Price Sixpence.













THE
ART OF ANGLING

GREATLY IMPROVED

CONTAINING

THE MOST ESTEEMED METHODS OF ANGLING FOR

POND AND RIVER FISH;

THE BAITS FOR EACH, AND HOW TO OBTAIN
AND PRESERVE THEM

THE CHOOSING OF RODS AND TACKLE;

ALSO,

INSTRUCTIONS IN EVERY BRANCH OF

FLY-FISHING,

AND FOR THE MAKING OF FLIES.


DERBY:

THOMAS RICHARDSON AND SON;

172, FLEET ST. LONDON,

AND 9, CAPEL STREET, DUBLIN.

1846



THE MOST FAVOURABLE SEASONS FOR
ANGLING.

IN summer, calm, clear, or, which is preferable, cool, cloudy weather, the wind blowing gently, so that your angling instruments may be used with ease and facility.

When a sudden violent shower has slightly raised the mud in the river, and it appears of a whey colour, then angle with a red worm at the ground, and good sport will be obtained.

In March, in the beginning of April and

at the latter end of September, and during the whole of the winter, the fish bite best in the warmth of the day, when no wind is stirring and the air quite clear. During the summer months the morning and the evening are the best, or in cool, cloudy weather.

Fish rise best at the fly after a shower that has not raised the mud of the river, but which has beaten the gnats and flies into the water. The best months for the fly are March, April, May, and part of June. In the cooler months, in the warmest time of the day, or in warm weather about nine in the morning, or three in the afternoon, if a gentle breeze be blowing,

A Trout bites best in dark, cloudy, windy weather, early in the morning, from about eight to ten, and in the afternoon, from three to four. About nine in the morning, and about three in the afternoon, are his chief and most constant hours of biting at ground or fly. March, April, May, and part of June, are his chief months, although he will take the bait well in July, August, and September. After a shower in the evening he rises well at gnats.

Salmon bite best at about three in the afternoon, chiefly in May, June, July, and August, with a clear water and some wind. He takes the bait best when the wind is blowing against the stream, and near the sea.

Carp and Tench morning and evening, very early and late, in June, July, and August, or even in the night.

Chub from sun-rising or earlier. In the heat of the day, he will seldom bite. In June and July, till about eight, and at three in the afternoon, at ground or fly, if the weather be cool.

Pike bites best at three in the afternoon, in a clear water, accompanied by a gentle gale, in July, August, September, October.

Bream from about sun-rising till eight, in a muddy water, and a good breeze of wind. In ponds, the more violent the wind, and the higher the waves, the better. From the end of May, June, July especially, and August.

Roach and Dace, during the whole of the day, in clear weather, with a slight breeze. Gudgeon from April till he has spawned in May, and then to the end of the year, in warm clear weather.

Flounder, during the whole of the day, in April, May, June, and July, when the water has been disturbed by rain.



BAITS.

On Baits in general.

WORMS are the most natural baits under water for almost every fish, instances having even occurred of Pike taking them. They should be preserved and cleansed in moderately dry moss, in a cool place in the summer, and out of the reach of the frost in the winter. The greater the quantity of moss which is used, and the oftener it is changed, the longer they will live, as they cannot bear being exposed to the open air. The largest is

The Lob, or Dew-worm,

which is found in old gardens, fallow fields,

and early in the morning it may be taken upon the surface of grass fields. It is a good bait for Salmon, Trout, Perch, Chub, and Eels, particularly in muddy water.

The Red Worm

is found in all loamy soils, and may be gathered by following a plough, turning up garden soil, and under boards, bricks, slates, tiles, stones, &c. that have lain undisturbed a short time. It is a good bait in clear water singly, but when the water is discoloured two are preferable, particularly for Trout. When two worms are used, the hook should be thrust through the knot of that which is to remain uppermost, and when forced through only one-third of its body, must be drawn to the top of the shank until the wire be covered, and it will then remain secure; observing to reverse the end that you begin at, and the knot being held by the barb, they will remain sufficiently firm.

The Brandling, or Gilt-tail,

is a beautiful little worm, dark at the head, becoming gradually paler towards the tail, which is decorated with bright yellow circles, that distinguish it from all other reptiles of this class. They are found in old dung-hills, old hot-beds, especially where tanners' bark has been used, and often in tanners' bark

alone, provided it has lain a sufficient time to rot. From the beginning of May to the middle of September, it is the best worm that can be used, and what few fish when on feed will refuse.

To prepare the tackle for worm fishing in streams, a small piece of music-wire should be whipped to the upper end of the shank of the hook, in order to keep the bait in a proper position. No precise directions can be given for leading the line, as it depends so much on its length, the depth of the stream, and the rapidity of the current; the bait should sink quickly, and fish near the bottom; if the line be overleaded, it will be found extremely troublesome, as the hook will frequently be entangled with whatever it meets at the bottom; such as stones, roots of trees, &c.

Cod-bait Fishing.

It is a good bait about mid-water, and near the bottom in clear streams, on a hook No. 8, whipped to fine gut lightly shotted. Many anglers, in preparing their hooks for cod-bait fishing, prefer the shank being leaded to a shot on the line; but it is a method which we cannot approve, being but a tender bait, the lead renders it almost impossible to be drawn neatly over the shank. When used in still water, a small float is necessary. The cod-

bait which is the most useful to the angler, is found in stony brooks or gravelly rivulets, closely adhering to any solid substance it finds at the bottom. When taken out of the water, they may be preserved a month by putting them in a woollen bag, with or without moss, upon a cool floor. If the bag should become too dry, care must be taken not to use too much water to damp it again, as these insects cannot endure their native element after they have been taken from it four days ; still they must not be exposed to the other extreme.

Maggot Fishing

commences as soon as the frost disappears in the spring, and is a good bait in open weather every month in the year. It is used for the same purposes as the cod-bait, and is readily taken by all kinds of fish that take small baits. Maggots generated in October will live through the winter, at which time Chub, Grayling, Carp, Tench, Perch, Roach, and Dace, are in perfection, and may be enticed to any part of a pond to feed, by suspending a piece of carrion at the end of a pole over the spot that it is desired that the fishes should frequent. It is not unusual to bait particular places with worms, maggots, grains, stewed malt, clay balls, clotted blood, &c. but it is to be supposed, that the fish will become

fonder of a spot where they can peaceably enjoy their food which is continually dropping to them, than where they are often disturbed by being fed at stated intervals.

The method of baiting a hook with a maggot or gentle is as follows: Take one or two maggots, and put the hook into the second joint above the tail, then draw it forward upon the hook; having performed this with one or two, put the hook into the second joint of the last maggot, and cover the beard of the hook with it, but let not the point appear in sight; if the hook be run too deep, the substance of the gentle will come out, and then it is good for nothing; therefore, care must be taken to run it under the skin, as gently, and as close to it, as possible.

The Cow-dung Bait

is found from the beginning of June to the end of August, amongst the droppings from cattle in dry pastures; and far excels both the cod-bait and maggot during its short stay, and must be used for the same purposes. In shape it resembles a maggot, but its colour is much brighter; it is extremely tough, consequently a lasting bait.

Cabbage Worms

are of different colours, some of them are green, some are gray, and others speckled. They are useful baits in the hot months

for Trout, Chub, Carp, Tench, Roach, and Dace, and are procured by shaking oak and ash trees, hazle bushes, and upon cabbage leaves. They must be used on the top upon streams, and mid-water in pools. Being tender baits, they require some attention to fix them neatly on the hook.

The Grasshopper

is generally found about the mowing season, and continues until it is destroyed by frosty nights. It is eagerly taken by almost any fish in clear streams about mid-water, on a hook No. 6, with fine gut, and one small shot.

Boiled Wheat and Malt

must be simmered in milk over a gentle fire in a saucepan, but it must not be suffered to boil fast, as it will burst the corns; or it may be set in a gentle oven all night, and the outward husk taken off: either wheat or malt is an excellent bait for Roach, Dace, and White Bream.

Wasp Grubs.

In July, August, and September, good baits may be provided from a wasp's nest for every kind of fish that will take maggots and cod-bait. The grubs must be taken from the comb, and baked before a moderate fire, with a tin bonnet behind it, which makes the baits tough, and blackens their ends.

RECIPES FOR THE MAKING OF PASTES.

ALMOST every experienced angler, who uses paste, has his peculiar method of making it; the following recipes, however, may be considered as the most approved, and most generally to be relied upon.

Salmon Paste.

Take one pound of salmon spawn, about September or October, boil it about fifteen minutes, beat it in a mortar until sufficiently mixed, with an ounce of salt, and a quarter of an ounce of salt-petre; carefully pick out the membrane, as you find it disengaged. When it is beaten to a proper consistency, put it into cups or gallipots, over which tie a piece of bladder close, and it will keep many months.

Shrimp Paste

is prepared precisely by the same method as Salmon paste, observing to separate the solid part from the shell, before it is put into the mortar.

Paste to catch Chub and Carp in the Winter.

Beat strong Cheshire cheese, mixed with cotton wool, to the consistence of paste. If it be too moist, temper it with wheaten flower; if too dry, moisten it with honey. The bait

should be formed about the size and shape of an acorn.

Paste to catch Pike.

Mix four ounces of fine wheaten flour with a little cotton wool, the whites of two eggs, and a very small quantity of vermilion or red lead. This paste should not be made above one day before it is used.

Sweet Paste for Carp, Tench, or Chub.

Take the crumb of white bread dipped in honey, and work it with the fingers in the palm of the hand until it is of a proper consistency. When honey cannot be procured, lump sugar dissolved in warm water will answer nearly as well.

Paste for Barbel.

Dip the crumb of white bread in water in which chandlers' greaves have been boiled, and knead it stiff. If a small quantity of the greaves be mixed with the bread it will prove more enticing.

Many authors recommend oil of aniseed, and a variety of other essential oils, to scent paste with; these are communicated as secrets, and, having an air of mystery, are eagerly sought after by the young angler. We have, however, tried a variety, but never had reason to suppose they were instrumental in taking a single fish, and believe them all to be a wasteful and ridiculous expense.

LINES.

FISHING-LINES are most generally composed of a mixture of silk and hair, and are spun of various lengths. For common Trout-fishing in rivers, twenty to twenty-five yards are sufficient; for lakes, where the fish are large, and a boat is not used, forty to fifty yards may be required. Single-handed-rod fishers prefer their reel-lines to run taper to the point, so that they may, by merely fixing their foot length of gut to the line, wind it up close to their hand; and where the stream is narrow and bushes numerous, this is certainly a good plan, but for bold streams the reel-line should be of equal thickness throughout, and not too fine, in order that a taper hair-line, of ten yards in length, may be attached thereto.

The most important consideration in making lines is, the selection of the hair, which must be round, even, and free from scales. If plucked from the tail of a young horse or mare, it is not so good as that which is to be procured from a four-or-five-year-old gelding. The best is to be had from the tail of a well-grown stallion. Black, although the strongest, is the least serviceable colour; brown, gray, and white, are to be preferred, and ought

to be picked with care. Hair-lines are proper for Roach, Dace, Bream, Gudgeons, Ruffe, and Bleak, and may consist of six or nine hairs.

The links of lines for the artificial fly should be softly twisted, as they fall much lighter on the water, and are greatly superior to lines of silk and hair; the two top links should consist of twelve hairs, the three next of nine, the four next of six, and the five bottom links of three hairs, which, with the addition of a yard of silk-worm gut, will make the line long enough, and no other number of hairs will twist regularly or bed well together.

Lines for Salmon, Pike, Barbel, Chub, and large Bream, are made of silk or hemp, and should not be too hardly twisted. The whipcord lines sold in the country are sized, rubbed even, and tied very tight in hanks; in this state they look well, but have a very different appearance after they have been in the water; and out of a line of sixty yards it will be difficult to get twenty yards of one entire piece even and good. Raw silk makes very good lines; the finer sort twisted together for Salmon, Trout, Perch, Chub, and large Bream, and the coarser for Pike, Barbel, and Eels. These as well as lines made of silk, when new, ought to be tied tight at both ends, and rubbed with elder or cabbage leaves, and afterwards trailed on the grass, which will render them soft and pliable.

RODS.

ANGLE rods should be proportioned in length and strength to the different fish which it is intended to be angled for. They ought to bend regularly, and taper gradually; be light in hand, and spring from the butt-end to the top. The great fault of most rods is, that the play of the rod is in the middle, owing to that part being too weak, and like a wagoner's whip: it is impossible with a rod of this kind to strike or command a fish of any size. Rods for Pike and Barbel ought to be sixteen feet long; the butt-end made of red deal, the middle parts of ash, and the top of hazle, the bark not to be taken off the hazle, as it weakens them considerably.

Rods for Trout, Perch, Chub, Eels, Bream, and Flounders should be finer, and rings for the running-line will be necessary. The rods for Roach, Dace, Gudgeon, Ruffe, Bleak, and the smaller tribe of fish, should not exceed eight or ten feet in length.

The rod for the artificial fly is made much lighter and of a different construction. It should be very elastic, and spring from the butt-end to the top. The lower part of the rod should be made of any wood that is tough and straight, but in the formation of the upper part too much attention cannot be paid. Our own country produces a variety of wood that will make good tops, and they should be cut

at Christmas, and if placed in the open air to season for twelve months, they will be the better for use. The best kinds are elder, holly, mountain-ash, and brier, but the American hickory far excels them all, nor is it surpassed by any wood, with the exception of the bamboo or hollow cane. It is a custom founded in error, of loading the tops of rods with eight or ten inches of whalebone; a good top, too, should be light and elastic, whereas whalebone is dull, heavy, and much too flexible.

It is necessary to guard against the influence of moisture on the rod as much as possible, although a shower of rain will not spoil it: unless the rod be protected by varnish, it will soon be deprived of its elasticity.

Rods should not be kept in too dry a room; the practice of steeping them in water is a bad one, and will soon spoil them.

It is the practice of some anglers, when the season is over, to take the rod to pieces, and bind the parts to a straight pole, and to let them continue in that state until fishing season returns.

HOOKS.

THE excellence of hooks depends on their being properly tempered, not too high to snap, or not sufficiently that they may be bent with the fingers. In choice of them, take care that the points are sharp, the beards of a good

length, and the shanks not too long. As fish differ so much in size, a great deal must be left to the judgment of the angler in the choice of them; a little experience will soon point out the proper size; but as some directions in a treatise on this subject may be expected, the following table is added, for the information of young anglers, first premising, that it is a guide only where single hooks are used. The figures denote the sizes of the various kinds of hooks:

Barbel	1	Eel	4	Perch	4
Bleak	13	Flounder....	5	Roach	11
Bream	9	Grayling	10	Ruffe	9
Carp.....	3	Gudgeon	12	Salmon	1
Chub	2	Loach	13	Tench	3
Dace	12	Minnow	13	Trout	3

Never choose a hook, the point of which stands outward, as it will often scratch a fish without laying hold, consequently he will be lost; for after being pricked, he will not rise again for two or three hours.

The several Haunts or Resorts of Fish, and in what Rivers or Places they are most usually found.

To the angler it is of no small importance to be acquainted with the several kind of rivers, streams, soils, and waters, which each sort of fish usually frequent; for although it

is well known, that fish are sometimes to be met with in rivers and places which they do not usually frequent, yet the exact knowledge of what particular river or soils, or what part of the river such or such kinds of fish usually frequent, will be almost a never-failing guide to the knowledge of the most suitable baits, and of the fish which are likely to be caught.

The SALMON frequents large swift rivers, which are influenced by the tide; they are, however, to be found in lesser rivers, high up the country, but chiefly at the latter end of the year; and when they proceed thither to spawn, they choose the swiftest and most violent streams, or rather cataracts, and the clearest gravelly rivers abounding with rocks and weeds.

The TROUT is found in small purling brooks or rivers that are very swift, feeding behind a stone, or log, or some small bank, which, shooting into the river, acts as a partial dam to the water. He there lies watching for what comes down the stream, and suddenly darts upon it. His hold is usually in the deep, under a hollow place of the bank, but his most favourite resort is, under a stone, beneath a part of which the current has carried away the gravel. He is seldom found amongst weeds.

The PERCH prefers a gentle stream of mo-

derate depth, but it seldom frequents the shallows. There are very few of the canals of England in which the Perch is not to be found in high condition. They are sometimes found in slow muddy rivers, but not in such plenty nor goodness.

The CARP, TENCH, and EEL choose a muddy and still river; the two former prefer the deepest and stillest part of a pond or river; and the same remark will apply to the larger Eels, but the smaller ones are found in all kinds of rivers and soils.

The PIKE, BREAM, and CHUB choose sand or clay; the former prefers the still pools which abound with fry, and he shelters himself, in order to come upon his prey unawares, amongst bulrushes, water-docks, or under bushes. The Bream prefers a gentle stream, and the broadest part of the river. The Chub delights in the same ground, but is rarely found without some tree to shade or cover him in large rivers and streams.

The BARBEL, ROACH, DACE, and RUFFE, prefer gravel and sand, and resort to the deepest parts of the river.

The GUDGEON is to be found chiefly in sandy, gravelly, gentle, streams, and smaller rivers.

The FLOUNDER covets sand and gravel, deep gentle streams near the bank, or at the end of a stream, in a deep still place.

It must, however, be understood, that as some fish covet one soil more than another, so they differ every season in their choice of places. Some keep during the whole of the summer near the top, whilst others never leave the bottom. The former may be angled for, with a quill or small float, near the top, with a fly or any sort of worm bred in herbs or trees, or with a fly at the top; the latter will be found at the tails of weirs, mills, flood-gates, arches of bridges, or the more shallow parts of the river, in a strong, swift, or gentle stream. During the winter, they all retire into the deep still places.

Artificial-fly Fishing.

THE most seasonable time for fishing with a fly in a river, is when it is somewhat disturbed by rain, or on a cloudy day, when the waters are moved by a gentle breeze. The most favourable winds are from the south and west, if the wind blow high, but not with such violence as to prevent you from conveniently guiding your tackle; the fish will rise in the still deeps, but if there be little wind stirring, the best angling is in swift streams.

In casting the line, it should be done in a straight direction before you, and in such a manner that the fly may fall just on the water, and as little of the line with it as possible; but if the wind be high, you will then

be forced to drown a good part of it, in order that the fly may be kept on the water. Endeavour as much as possible to have the wind at your back, and the sun in your face; but the windings of a river will frequently render that position impractical.

When you throw your line, wave the rod in a small circle round your head, and never make a return of it before it has had its full scope, or otherwise the fly will be snapped off.

Although the day may be cloudy and windy, and the water thick, the fly must still be kept in continual motion, or the fish will easily discern the deceit.

The line should be twice as long as the rod, unless the river be encumbered with wood. When the fly is cast to the opposite side of the river, always stand as far off the bank as the length of your line will permit; but if the wind blows from such a quarter, that you must throw the line on the same side as that on which you are standing, then station yourself on the very brink of the river, and cast the fly to the utmost length of the rod and line, up and down the stream, accordingly as the wind is favourable.

A quick, sharp eye, and an active hand are necessary, to strike the fish directly as it rises, or else, finding out the mistake, he will dislodge the hook from his mouth.

Small light-coloured flies are appropriate for clear waters, and a clear atmosphere; large dark-coloured flies, when the contrary.

When fish rise at the fly very often, and yet never take it, it may be concluded that it is not the fly which they like. When you see a fish rise, the fly must be thrown beyond him, and drawn gently over the place where it rose, and if it be a proper fly for the season, and the fly be cast with a nicety, the fish is your own.

When you angle *with an artificial fly*, in slow running rivers or still places, cast it across the water, and let it sink a little, and then draw it gently over to you again, letting the current carry it slowly down; this is the best way for slow waters; but for quick ones, your fly must always swim on the top, under your continual inspection.

For every sort of fly have three; one of a lighter colour, another sadder than the natural fly, and a third of the exact colour with the fly, in order to suit all waters and weathers.

Although the number of artificial flies used in angling amount to between thirty and forty, yet there are about nine which may be called the standard flies, and with which, if the angler be provided, he may deem himself qualified to catch almost every kind of fish that rises at the fly.

The delineation of these standard flies is given in the frontispiece, and the method of their manufacture is as follows :

No. 1. *The Granam, or Green-tail.* This fly makes its appearance in the beginning of April. The wings are made of a shaded feather from the wing of a partridge, or hen pheasant; the body of the dark fur of a hare's ear, and a yellowish grizzled cock's hackle for legs; a small quantity of bright green wax, about the size of a pin's head, may be applied to the lower part of the body, after the fly is completed, for the tail. The hook No. 9.

No. 2. *Black Gnat.* This fly appears about the same time as the spider-fly, and continues till the end of May. The body is made of black ostrich's harl, and the wings of a dusky or pale-dun cock's hackle, or a pale starling's feather: it must be dressed rather short and thick. The hook No. 10.

No. 3. *Large Black Ant* commonly appears in warm, gloomy weather, from the middle of June to the latter end of August. The ant flies are excellent killers from eleven o'clock in the forenoon until six in the evening, and they may be used in still water, as well as streams. The wings of this fly are made of the lightest blue feather from under the snipe's wing, or from the tom-tit's tail. Some make them of thistle's down, but its

want of durability is a great objection to the use of the material, unless for a fly that remains on the water for a short time, which is not the case with the ant flies. The body of black ostrich harl, made thick at the tail and under the butt of the wings, with a reddish brown hackle for legs.

No. 4. *The Red Palmer.* Dubbed with seal's fur dyed red, and brown bear's hair mixed together, but there must be bear's hair sufficient to make the body appear of a dullish red, ribbed with gold twist; the wings of a starling's feather and a red cock's hackle over the dubbing. The hook No. 6 or 7.

No. 5. *The Oak Fly, or Canon Fly,* is to be found in April, May, June, on ash trees, oaks, willows, or thorns, growing near the water. The colours of the fly being various and unequally mixed, render the imitation difficult. The head of the fur from the hare's ear; body under the wings dun fur, in the middle orange and yellow, and towards the tail a brownish dun; the wings from the feather of a yellowish brown hen; or it may be made with a bittern's hackle only without wings. It is an excellent fly both for dibbing in the natural state and using artificially.

No. 6. *The Black Caterpillar.* The body of the brown branches from the stem of a

peacock's tail feather; a black cock's hackle for legs, the fibres of the hackle should be short. The hook No. 8.

No. 7. *The Yellow May Fly*. Dubbed with yellow camlet, or yellow marten's fur; the wings of a mallard's feather dyed yellow. This fly is to be made very small, but exactly in the shape of a green drake. The hook No. 6.

No. 8. *The Red Fly*. This fly appears in February, the wings are made of the red feather of a partridge's tail; the body of the red part of a squirrel's fur, with ginger hackle wrapped twice around it. The hook No. 7 or 8.

No. 9. *The Grey Drake*. The body is made of white silk, ribbed with fine black silk; the wings of the dark grey feather of the mallard, with a black cock's hackle wrapped thrice around under them; and has three long tails, which are nearly black. It is used with most success in an afternoon, particularly after the green drake retires.

Materials for Making Artificial Flies.

Hooks of all sizes; marking silk of every colour; shoe-maker's wax of softest kind; cock's hackles, those feathers that hang down from the back of their necks, and those near the tail, the black and red are most useful, but they should be procured of all

colours; gold and silver platted wire or twist; green and copper-coloured peacock, and black ostrich harl.

Hair.

Hog's down and bear's hair of different colours; these are good for mixing with the dubbing, as they repel the water; the white hog's down may be dyed to any colour; cow and calf hair of different colours, and the softest that can be procured, good for making large Salmon flies; spaniel's hair from behind the ears, dark brown and light brown; the soft fur both brown and black from the badger's skin; seal's fur of different colours; camel's hair; also fur from the hare's neck and ears; also from the squirrel's tail; fox cub, from the tail; a water rat; a house mouse; a marten, particularly the yellow spots under the jaws.

Feathers.

From the wild drake, the back and the breast; the wings of the starling; the water-coot; the jay; the fieldfare; and the black-bird; a pheasant; a woodcock; a land-rail; a brown hen; the grouse; the plover; and from the back and wings of a heron. The feathers from the tail of a turkey-cock, particularly those that are black, with a white tip at the end, a good wing for Salmon flies.



A DESCRIPTION OF THE FISHES.

Salmon.

THE Salmon is a fish of much strength and delicacy, and claims the preference before all other fish. It delights in rivers which have alpine sources, preferring to all others a gravelly-pebbled bottom, where there are large stones clear of every kind of slime. It is impatient of shade, unless in the very heat of

summer, and dislikes to remain for any length of time in such parts of rivers where the banks are wooded, or near hanging rocks, that exclude the sun from the stream or pool. They always lie with their heads pointing up the river, and seldom or never swim down the stream, unless in their journeying to the sea, when disturbed by the hauling or shooting of nets, the prowling of the otter, or when exhausted by the fatiguing tackle of the angler.

A Salmon rod is generally proportioned to the size of the river which the angler frequents, but it ought not to be less than fifteen feet in length. The reel ought to be large enough to contain eighty or ninety yards, so as to admit of abundance of line to be given out when required; for many fish, when struck, run out to a great distance, and with such great rapidity, as to prevent the possibility of the angler's moving in the proper direction with sufficient quickness.

The best baits for Salmon are the artificial fly and the lob-worm; it is of little consequence what colour the fly is, provided it be large and gaudy, ribbed with gold or silver twist. The best times for angling for Salmon are in the morning from nine to eleven, and in an evening from six to sunset, especially when there is a moderate breeze upon the water. The method of fishing with a

lob-worm is as follows: Take a worm that has been well scoured, and run the hook through the middle, drawing it above the shank; then take another and bait the hook in the usual way, by putting it into the worm about an inch below the tail, drawing it on the hook about three fourths of the length, the head of the worm being at the point of the hook; then draw the first worm down to the other, for Salmon are partial to a large bait. It will be necessary to have a piece of lead, with a small hole through it, fastened upon the line, about two feet above the hook, by which means the bait can be kept in any certain place; when the bait has remained for a few minutes, draw it gently up the stream about a yard, and let the lead rest again at the bottom. This will excite the attention of the fish, and frequently tempts him to take the bait. Lines of silk or hemp are proper, and three silk-worm guts twisted together make an excellent bottom link. For the purpose choose three of equal strength, round, and free from flaws, and tying the root ends together, let them soak in water for twelve hours; then make double knots on the loose ends, to hang on the hooks of the twisting-engine; do not twist them too hard; the angler ought to have several of these links for various sized hooks, and in cases of accident. In angling for Salmon with a bait,

the line must be stronger than what is used with the artificial fly; the top joint of the rod must also be stronger. If the lob-worm prove unsuccessful, a small live fish, a Gudgeon or Minnow, may be tried, and in all probability the Salmon will snap at him, for he is a fish of prey, and will feed upon those that are small.

The Salmon flies are generally made according to fancy; the six following will be found worthy of notice:

1. The body made of peacock's harl, and a mealy grey cock's hackle over it.

2. The body made of silver twist, and a small dun hackle.

3. The body of yellow camlet, ribbed with gold twist, and a ginger hackle over it.

4. The body made of equal quantities of the fur of a hare's neck and orange-coloured mohair, with the hackle from a grouse's back.

5. Gold-twist body, and a dark red cock's hackle over it.

6. The body of peacock's harl, with the bright stained red hackle over it.

When the Salmon rises at the fly, give a gentle jerk, for the purpose of hooking him, which being accomplished, humour him in letting him run which ever way he will. Do not check him, lest he should break the line from the rod, and wind it up as fast as

he returns, otherwise he will entangle and break the tackle. Keep him so tight, that he may bend the rod considerably, for if he be allowed to straighten the rod, he will soon make his escape. As he swims away follow him gently, but do not come within sight of him. He will be apt to spring or leap out of the water, at such time allow him line enough, and when it is perceived that he lies at the bottom, have patience for a time, and be not surprised if he repeats the stratagem, for he will strive to break from the hook. Having waited for the space of six or seven minutes, draw the line rather tight, and if he runs, then give him the same liberty as before. When he is thoroughly tired, draw him gently to the shore, where you see the most convenient place for landing him.

The facetious author of the *Maxims* for an Angler says, "Never mind what they of the old school say about 'playing him till he is tired.' Much valuable time and many a good fish may be lost by this antiquated proceeding. Put him into your basket *as soon as you can*. Every thing depends upon the manner in which you commence your acquaintance with him. If you can at first prevail upon him to walk a little way down the stream with you, you will have no difficulty afterwards in persuading him to let you have the pleasure of seeing him at dinner."

*Trout.*

THERE are few fish that afford the angler greater diversion than the Trout; they are at all times exceedingly circumspect, and for which reason it is in vain to angle when the water is low, as they then retire under the banks and roots, refusing every kind of bait. On a cloudy day after a gentle shower, they will freely take Minnows, worms, and flies of all kinds in their proper season. In March or April, angle for them with the worm in the afternoon, and with a fly or Minnow, according to the state of the water, the remainder of the day. The natural flies best adapted are the may-fly or yellow cadow, the grey drake, the orl, and the canon or downhill fly, all of which are to be found in bushes near to the river-side in the months of May and June. Angle in the swiftest and sharpest currents, provided the day be clear and bright, and in the deeps early and late; but if the water be discoloured, or very thick, angle in the gravelly shallows near the sides and tails of streams with a worm only, to run

on the bottom, one large shot a foot at least from it.


The Minnow is the best of all baits for the Trout, the whitest and middle-sized ones should be chosen. Angle with the point of the rod down the stream, drawing the Minnow up the stream by degrees near the top of the water. When the Trout sees the bait, he will dart most fiercely at it, but be careful not to snatch it away; and never strike until he has turned with the bait.

Trout fishing requires a strong rod, although not quite so stiff as what is used for Pike fishing; the longer it is the better, provided it be not heavy. The line should be about a foot longer than the rod, and about eighteen inches of strong gut, or Indian weed, should be put to the end of it, twisted three-fold, with a swivel to fix the bottom link upon, with four or five duck shot split and fastened on it. The hook should be 5 or 6.

In ground angling the bait should be a large lob-worm, or two marsh or dew worms, well scoured and very lively. The bait being cast in, let it gently drag on the bottom; when the fish begins to bite, do not strike the first time you feel the tug, but rather slacken the line; when you feel two or three sharp tugs then strike smartly, and if a heavy fish give him line, and be not in too great haste to land him.

To prepare the tackle for Trout fishing in a stream, a small piece of music-wire should be whipped to the upper end of the shank of the hook, for the purpose of keeping the bait in a proper position. No precise directions can be given for leading the line, as it depends so much on its length, the depth of the stream, and the rapidity of the current; the bait should sink quickly, and fish near the bottom. If the line be over-leaded it will be found extremely troublesome, as the hook will frequently be entangled with whatever it meets at the bottom, such as stones, roots of trees, rushes, &c.

The following method of taking Trout is highly recommended by some experienced anglers: Make a pair of wings of the feather of a land-rail, and on the bend of the hook put one or two cadis, the heads of the cadis being kept close to the wings. Angle with rod about five yards long, the line three, and the hook No. 3 or 4. Let the bait float down the stream just below the surface, then gently draw it up again a little irregularly, by shaking the rod, and if there be a fish in the place it will be sure to take it. If two cadis be used with the wings, put the hook in at the head or out of the neck of the first, and quite through the other from head to tail. Two brandlings, or small red worms, may be fished with in the same way.



Pike.

THE Pike is a bold voracious fish, and may be fished for during the whole of the year, but the most favourable months are September and October. His general resort is near flags, bulrushes, and water-docks. As the season grows colder he retires into the deeps, and is to be found under clay banks and bushes that hang over the water, stumps and roots of trees, and piles of bridges. There are five methods of catching Pike, two of which belong only to the angler, the remainder to the poacher; the former are by trolling and snapping. In trolling the rod ought to be fourteen feet long, with rings for the running-line; the line should be at least thirty yards long, of either silk or hemp. The best baits are Gudgeons and Dace, of a middling size; but in default of these, Roach, Bleak, small Trout, or Salmon fry. In order to bait the hook, the fish-needle must be put in at the mouth of the bait, and out at the middle of the tail, drawing the gimp and hook after it, fixing the point of the hook near the eye.

Drop the bait in near the river-side, where it is moderately deep, and where Pike are likely at that season to resort; let it sink to the bottom, and draw it gently up, imitating in the motion a fish hurt or dying; after trying two or three times to the right and to the left, throw the bait further in. When a Pike seizes the bait, it will be easily perceived by the line being drawn tight, and some resistance being displayed; give him more line, and let him go whither he will, until he has reached his harbour, which will be known by his not drawing any more line; lay down the rod, and give him more time to gorge the bait, which he will generally do in five minutes; then draw the line gently till the fish be seen; if the bait be seen across his mouth give him more time, but if he has gorged the bait, govern him with a gentle hand, keeping him from roots and stumps. He must not by any means be lifted out of the water with the rod and line only; for although, to all appearance, the fish may be tired, yet the moment he quits the water, he will open his mouth, and, by tearing his stomach with his own weight, get quit of the hook, and the fish will not only be lost, but he will die in the water.

The method of fishing with a live bait, or what is called the live-snap, is very different

from trolling. The line and red must be stronger, and the hooks much larger. They consist of two hooks joined back to back, with a smaller hook in the middle of their shanks; the bait is hooked by the small hook, just under the back fin, the point and beard coming out on the other side, and is fastened by a strong thread or silk doubled.

Roach, Dace, or Gudgeons are the best baits; a cork float will be necessary about the size of a common Burgundy pear, with a small pistol bullet or two, not only to poise it, but to keep the bait at a proper depth.

As a live bait many anglers prefer the Perch, it being the longest lived on the hook, first cutting off the fin on his back. The frog is the next good bait for Pike, but particular care must be taken to select the water frog, which breeds in ditches, and choose the yellowest, which the Pike likes best. All other frogs are considered venomous. The following method should be adopted to keep the frog alive on the hook as long as possible: Put the hook through his mouth, that is, pass the arming-wire into his mouth and out at the gills; with a fine needle and silk sew the upper part of his leg with a single stitch to the arming-wire of the hook, or tie the frog's leg above the upper joint to the arming-wire. This will be found an excellent bait as a leiger bait.

*Perch.*

THE Perch affords the angler great diversion, and not only are the baits various, but the modes of using them. Of worms the best kinds are small lob-worms which have not any knot, brandlings, red dunghills, or those found in rotten tan, all well scoured. The hook may be varied from 2 to 6, being well whipped to a strong silk-worm gut, with a shot or two a foot from it. Use a small cork float, to keep the bait at six or twelve inches from the bottom, or sometimes about mid water; in angling near the bottom raise the bait very frequently almost to the surface, letting it gradually fall again. Two or three rods may be employed, as the time they require to gorge is sufficient to allow the angler to be prepared to strike them. Try not long in one spot; when a fish bites slacken the line, and give time before striking; this often succeeds in bad weather, when all other methods fail, but more especially in a rough southerly or westerly wind.

The other baits for Perch are Roaches, Sticklebacks, with the spines cut off, Miller's Thumbs, horse-beans boiled, cad-bait, bobs, and gentles; but the best and most enticing bait for a Perch is a live Minnow. Place a small reel on the rod, with about twenty or thirty yards of Indian twist, and a hook, No. 5, fastened to a link of gimp. Fix the hook through the back fin of the Minnow, and it will be found a most killing bait.

Although generally termed a bold biter, the Perch is extremely abstemious in winter, and scarcely ever bites at that season, but in the middle of a warm sunny day; he bites best in the latter part of the spring, from seven till eleven in the forenoon, except in hot and bright weather, and from two till six in the afternoon except in hot and bright weather, and then from sun-rise till six in the morning, and in the eve from six to sunset. In clear water sometimes a dozen or more of Perch have been observed in a deep hole sheltered by trees or bushes; by using fine tackle and a well-scoured worm, the angler may see them strive which shall first seize it, until the whole shoal have been caught. The Perch may be angled for and taken until the end of September, but the preferable season is from the beginning of May to the middle of July.




Grayling.

THE Grayling is generally found in clear and quick streams with clayey bottoms. It spawns in April, and sometimes as late as the middle of May. The most approved baits for Grayling are lob-worms, gentles, flag-worms, wasp-grubs, cow-dung bobs, cadis-worms, marsh-worms, and brandlings. It may be fished for at all seasons of the year, particularly in cool cloudy weather. There is not any method more killing for large Grayling, than applying the grasshopper to the point of a leaded hook, the lead and shank of which are covered with green and yellow silk, to imitate the body of the insect. In the winter Grayling rise for an hour or two in warm weather, and at this time the smallest imitation of black or pale gnats on the smallest sized hook, succeed best in taking them. In August the red and black ant fly may be considered as a very killing bait.

In cold weather the depth from the ground should be about three inches, in hot weather about mid water. In fishing with gentles

two or three hooks may be used, and angle with them as with the artificial fly. The Grayling is a very simple fish, and will rise repeatedly at the bait should he chance to miss it. The tackle should be of the finest description; the bottom to be at least two yards of gut, leaded with two shot about a foot from the hook. It must be observed, that very slender transparent gut, of the colour of the water, is one of the most important causes of success in Grayling fishing. A small goose-quill float must be used; if worms be the bait, the hook should be No. 5 or 6, if maggots, No. 8 or 9. Great caution must be observed in landing the Grayling, as it is very tender-mouthed. Cotton stig-matises the Grayling as one of the deadliest-hearted fishes in the world, and the bigger he is the more easily he is taken.

The Grayling may be frequently caught with cabbage-grubs, cod-baits, and grass-hoppers, either natural or artificial; the method of angling in this manner is, to allow the bait to sink by degrees to the bottom, and to draw it up again about two feet with rather a sudden motion. When fishing with maggot this plan may also be adopted, but the line requires to be heavier leaded. On these occasions the rod and line must be of equal length, the hook No. 5 or 6, and lead-ed upon the shank.



Ruffe.


THE principal spawning time of the Ruffe is the beginning of April, but some are said to spawn again in October. In the Elements of Natural History a Ruffe is said to deposit seventy-five thousand eggs.

To the young angler the Ruffe yields good sport. Its haunts are in recluse places, where the water is deep, and runs quietly, with a loamy or muddy bottom. The tackle should be fine; the hook No. 7, and a quill float; the bait a small well-scoured red worm, and it must just run on the ground. Throw in some clay balls with worms, or if the water be clear, use common mud balls to colour it.

Three rods may be easily managed, the baits touching the bottom. When there is a bite strike directly, for they gorge so hastily that the knife must be frequently used to get out the hook. Both in the spring and summer they will bite all day with a brisk warm

wind, and will sometimes in cold weather take the bait very freely.

The Ruffe, for the delicacy and richness of its flavour, as well as for its being considered very nourishing, is more admired than the Perch.



Carp.

THE time for angling for Carp is very early in the morning, and late in the evening, but they will bite at noon, if disturbed by a sudden flush of water. They prefer deep holes with a very gentle stream, and their favourite places of resort are the stumps and roots of trees. They spawn generally in May, June, or July, especially the river Carp, according to the different nature of the water which they frequent, and the quality of the soil.

The best baits are the marsh and flag worms; but too much eagerness must not be shown in striking him when he bites, for he will nibble some time before he will take the bait into his mouth, and then the line should be eased about ten or a dozen inches.

The following paste is highly recommended for Carp: Take the flesh of a rabbit, and bean-flour sifted very finely, mix them with honey, and incorporate them in a mortar, or they may be worked by the hand into small balls; the whole must be tempered to a substance sufficiently stiff, so as to prevent it being washed off the hook. If virgin-wax or clarified honey be mixed with it, it will keep all the year.

When angling for Carp in ponds, it will be necessary to rise at break of day, and the best bait that can be then used is the red-worm, well scoured and dipt in tar. The Carp being a very shy fish, it will not be advisable to approach too near to the edge of the pond, or river, for which reason the rod and line should be long, as the bait should be thrown in as far as possible from the shore. The fish, however, may be attracted nearer by baiting a place, or by casting the worms in by handfuls; foras the water is still in ponds, the worms cannot be carried to any considerable distance from the place where it is intended to fish.


In angling with paste, the better to beguile the Carp, some pellets should be thrown into the water, some hours before fishing is commenced, and if some be thrown in a day or two before, the greater will be the chance of success. If the pond be of great extent, throw

into one particular place either grains or blood mixed with cow-dung, or bran mixed with the crust of white bread after having been well soaked in water, and made up into the consistency of paste. Whilst angling with paste, whether in a pond or river, chew a little white or brown bread, and cast it about the place where the float lies. Crumbs of white bread mixed with honey and worked up into a paste, will be found an enticing bait for Carp.

The month of February, and the intervening ones to June, are the most favourable for Carp fishing. If the weather be mild, they will bite more freely than at any other time of the season, and if there be a slight shower of rain falling, the angler will experience good sport at any time of the day. It must, however, be observed, that in cold weather the Carp will not bite at all. A long light rod should be used, with a reel-line of the first description, the bottom of which must be at least two yards of gut. Smaller hooks should be used than for other fish; for worms the hook should be No. 5 or 6; for wasp-grubs, No. 7; and for maggots, No. 8 or 9; the line should be lightly leaded with small shot a few inches from the hook, using a very small goose-quill float.

If a large Carp be hooked, he will make an obstinate resistance; the line should therefore, be given it cautiously, drawing ar

setting it go alternately, until the fish be exhausted. The Carp is a most cunning fish, and will use every endeavour to entangle the line amongst the weeds and roots. A Carp will seldom take a bait in a pond until the beginning of May.



Tench.

THE directions given for angling for Carp, are, in a great measure, applicable to that for Tench. Their habits and localities are nearly similar; for there are few ponds or rivers in which, if Carp be found, Tench are not to be found also.

The Tench is a still-water fish, and delights in ponds more than in rivers. Like the Barbel he is a leather-mouthed fish; but as the latter chooses gravel or sand, so the former delights and thrives in mud. One Tench that is taken in a river, is worth six taken in a pond. There are, however, some members of the Walton-and-Cotton Club, whose epicurean taste is particularly gratified with the flavour which mud imparts to the Tench; but

this preference cannot be said to be in any way general.

In angling for Tench you must repair to the fishing-place by dawn of day. June, July, and August are the only months in which any sport can be expected with Tench. The tackle must be strong, as they delight greatly in being amongst the weeds. Little sport is to be expected after the sun has risen, but it may be renewed about six in the afternoon; and let the ground-bait be the same as directed for Carp.

In river angling choose the deepest and most silent water, which ought to be so still, and the surface so smooth, that not the least motion be imparted to the float. Be not too eager in striking when the fish bites; for as he delights in sucking the bait, allow him time, and he will not quit it. The best and most enticing bait is the red-worm dipt in tar; or take the black clotted blood out of the heart of a sheep, some fine flour and honey, temper them finely together, make them of the consistency of an unguent, and anoint the red-worm with it. No other bait is to be compared to either of them.

The fishing-place should be baited with lob-worms and boiled malt. Fish very near the ground, and use a strong gut and a goose-quill float. In other particulars follow the directions as laid down for Carp.



Bream.

THE Bream grows to a very large size, sometimes to five or six pounds. The larger ones are called Carp Bream, as they are yellow, resembling the Carp in colour, and are supposed to be a distinct species from the White Bream. They frequent the broadest parts of the river, where it is deep, and the stream gentle. They are also to be found in mill-ponds, in the vicinity of weeds, and in clayey or muddy bottoms.

The best months for angling are August and September, very early in the morning or after sun-set. The lob-worm is the best bait for the larger Bream, and the place ought to be baited with them for some time previously. The following may also be considered as good baits : flag-worms, gentles, wasp-grubs, marsh-worms, and brandlings, paste, green-flies, and the grasshopper with his legs cut off.

A good paste for Bream is made of white new bread worked in the hand to a proper consistency, and coloured with vermilion, or


sheep's blood, to give it the requisite colour. White Bream are caught by using boiled malt alone as a ground-bait, baiting the hook with gentles or well-scoured worms; a running-line must be used, and a plumb, as directed for Barbel. The hook, however, must be smaller, No. 2 or 3 will be the proper size.

The Bream bites best when there is a slight breeze, but when the water is rough the bait must be placed near the bottom. They bite very slowly, and the larger they are the slower they bite. The bait should be laid in softly in the middle of the ground-bait, but let not the lead be above two feet under water. When the fish bites he will throw up the float, and when it is perceived to lie flat upon the surface of the water, it may then be concluded that the fish has gorged the bait; strike it gently, and hold the rod at a bend for a short time, for if you both pull the fish may be lost, if not also the hook and line.

The Bream affords noble sport, but is a fish very shy to be landed. His favourite harbour is the water-dock; but having once hooked him, care must be taken to keep him from that quarter, for he will strive to get thither, in order that the line may be entangled about the stalks of the dock, which being by nature very tough, it will be impossible to disengage him from them. It is

not advisable to angle more than three or four days for Bream in the same place, for the fish become shy and wary, and then afford very little sport.

The angler should cautiously avoid standing close to the water's edge, after he has deposited the line. Two or three rods and lines may be used at the same time of fishing in still water.



Barbel.

THE Barbel is of a fine cast, and handsome shape. He can live in the strongest streams, but prefers shallows; sharp ones in the summer: sometimes he takes to the deep and swift water about bridges and flood-gates, reposing amongst piles or in hollow places, where he will take such hold of the weeds that the swiftest streams cannot dislodge him.

The most favourable season to angle for Barbel is August and September, and the best time from day-break to ten in the morning, and from six in the afternoon to sun-

set. The baits should be clean and sweet, and the worms well scoured. The best of all baits is a well-scoured lob-worm, especially if the place has been well baited the night before. The best ground-bait is made with soaked greaves and clay, mixed together in pellets about the size of an egg. Having indented the pellets, put some gentles into the holes, close them tightly, and the gentles will work out gradually when at the bottom of the river. This ground-bait must, however, only be used in still holes. The Barbel will bite at gentles, and the green ones are a delicious bait for him.

The rod must be very strong, with a running-line made either of silk or hemp, the bottom link being made of gut. Use a plumb about two feet above the hook, of sufficient weight to resist the action of a great depth of water. Let the plumb sink gently to the bottom about two yards from the side, draw the line tight till the plumb be felt at the bottom, by which the top of the rod will be bent a little, and the bite then, of even the smallest fish, will be felt. There is one caution necessary to be observed in angling for Barbel, never to throw in further than can be effected by a gentle cast of the rod, letting the plumb fall into the water with as little violence as possible.

The Barbel is a leather-mouthed fish, and

when he is hooked he must be governed with a tight line, not only to keep him from stumps and harbour, but to prevent him throwing himself across the line, which he will endeavour to do, his back fin being very sharp, and indented like a saw, which will cut the line, or at least damage it very considerably.

To the angler the Barbel presents great attraction, being a game fish affording excellent sport ; when of a large size he is exceedingly crafty, sulky, and strong, struggling a long time after he is hooked, often lying motionless at the bottom many minutes ; and so cunning is he, that he will suck or nibble off the worm close to the hook, and after that it is indeed a difficult task to hook him. If once hooked he seldom escapes from a good sportsman.

The Barbel spawn in April, at which time they are out of season. The flesh is considered unwholesome, the spawn and liver almost poisonous. It is advisable to bait the places three or four times before you begin to angle, which may be done with a number of worms cut in pieces, or clay-balls in which either worms or gentles are placed. Greaves, also, are a good ground-bait for Barbel. According to Walton, it is scarcely possible to bait too highly for Barbel ; at all events there is little sport to be expected where the ground has not been previously baited.

*Roach.*

THE Roach is a handsome fish, inhabiting many of our deep still rivers, and delighting, like others of its genus, in the most quiet waters.

The tackle for Roach must be fine and strong; a rod not exceeding six feet, a line rather shorter of six hairs, and about two feet of gut for the bottom links, a swan-quill float, and hooks No. 11 or 12. The baits are gentles, red paste, boiled wheat or malt. Great attention must be paid to strike quick. In autumn Roach will take white paste on a hook No. 9; in summer snails and flies under water, for they never rise at a fly like the Dace. In April cadis-worms, oak-worms, and small red-worms, the latter especially in windy weather. When boiled wheat or malt is used, choose those corns that are plump and soft, one being sufficient for a bait; put the hook into it, so that the point may be where it is burst, and where the white appears; the fish will thereby be hooked more readily.


On commencing fishing throw a good

handful of boiled malt into the hole, and continue to throw some in during fishing, but it must be done sparingly. A sharp eye must be kept on the float, and the least nibble is the signal for striking. If a full-sized Roach be hooked, he should be played, for it is a fish that struggles much; and although many anglers accustom themselves to a single-hair line, yet when the fish run large it is not always to be depended upon.

Should the water not be clear, two hooks may be used, by neatly looping a piece of gut two or three inches long, with a hook to it, close above the single shot, so that it may stand out from the line. Bait it with gentles, and the lower hook with paste or Salmon roe, and, if the fish be shy, with a gentle slipped into the beard of the hook, and a grain of the roe or paste upon the point.

It is easy to distinguish whether a Roach be in season: if the scales on the back be rough to the touch, it is out of season; if they lie flat and smooth, the reverse.

The most killing bait for Roach is a small white worm with a red head, about the size of two maggots. It is to be found after the plough, upon heath or sandy ground. It must, however, be observed, that when this bait is used, stewed malt or fresh grains should be strewed in the place where it is intended to angle.



Dace.


IN hot weather the Dace is most easily taken with an artificial fly, and prefers most the black and dun flies. They bite best from three in the morning till nine, and from four in the afternoon till night. The tackle must be fine and strong ; the rod not exceeding six feet, the line somewhat shorter of six hairs, and about two feet of silk-worm gut for the bottom links ; a swan-quill float, and small hooks about No. 11 or 12, though they should be of stronger wire than that usually sold of those sizes. The most suitable baits for Dace are the oak-worm, red-worm, brandlings, gentles, flag-worms, and cadis-worms ; greaves also are a good bait for Dace. Red paste is an excellent bait ; but it will be advisable to take more than one kind of paste, as the Dace is a capricious fish, and in the course of a morning and evening will shun the bait which they had just taken before.

The ground-bait for Dace should be prepared of bran, a crust of white bread soaked,

and worked up into balls, with little stones in the middle. In choosing a place, let it be under the wind, where the water is smooth; plumb the depth, and let the lead be about eight inches from the bottom. The ground-bait must be thrown in about four yards above the fishing station, and the bait must be placed exactly over the ground-bait. Boiled malt is also a very good ground-bait, but it must be used sparingly.

A small landing-net will be found very serviceable in landing the larger fish; draw the fish a yard or two below the fishing station, as less disturbance will be thereby occasioned in the hole.

The Dace does not bite much later than October, and March may be considered as the earliest period.




Chub.

THE Chub spawns about the months of April and May, but he may be said to be in perfection in the winter. He frequents sharp eams, and deep holes, that are much sha-

ded, with clayey or gravelly bottoms. The larger ones bite best very early in the morning, and are to be caught by dibbing with a black beetle, humble-bee, or any large fly, but the best bait for the Chub is the brown beetle or cockchafer. In ground-fishing the most approved baits are worms, maggots, snails, and ox brains; the preference is generally given to the latter. The rod and line must be strong, and it will be convenient to use a running-line, the better to enable you to fish under bushes; the bottom should be of strong gut about two yards long, and the hook, if angled with brains, No. 6 or 7; if with gentles or grubs, a size smaller. The angler should be at the river's side by day-break, and having baited the hook with the beetle or cockchafer, wave it two or three times over the surface, as if in the act of flying, then let it drop softly on the water, and shake the rod gently, which will give it the appearance of struggling to escape; this will attract the attention of the fish, and two or three will rise at a time, for they are remarkably fond of the cockchafer. His resistance when hooked is great at first, but he is soon subdued; his weight, however, will make the landing-net necessary and useful, as the most likely places for Chub are those where you cannot get to the water-side to land him with the hands.

It is necessary to bait the places in which you angle with whatever bait is used. Should you fish with worms, gentles, wasp-grubs, or snails, the bait should be upon the ground; but if with brains, a little below mid-water, being careful to strike the instant the fish bites, as the bait is so very tender.




Bleak.

THE Bleak is a small, fat, pleasant fish, called by some the Fresh-water Sprat, and by others the River Swallow, on account of its continual motion. It will rise, like the Dace, at a common house-fly upon the surface of the water, or it will take a gentle, or white paste, about a foot and a half under water. The smallest hooks are the most proper for them, and a paternoster line, that is, a single-hair line, with six or seven hooks, each three or four inches above the other, baited with gentles, or cadis, well scoured. The paste recommended for Bream, forms a good bait for the Bleak. It frequents deep rivers,

sandy bottoms, in eddies, and at the sterns of ships.

The Bleak may be caught with a very fine artificial fly, of a sad brown colour, and very small, and the hook of a proportionate size. In angling for Bleak in the Thames, the bait must be laid in deeper than in other rivers; and it is to be observed, that generally in rivers the Bleak continues sound and healthful during the whole of the summer. There is not any better sport than whipping for Bleaks in a boat or on a bank in swift waters on a summer's evening, with a hazle top about five or six inches long, and a line twice the length of the rod. The Bleak is an excellent fish to initiate a young angler in fly-fishing. It forms a capital bait for Pike.



Gudgeon.

THE Gudgeon spawns twice or three times in the course of the year, and is in season from March to October. In the summer it delights in shallow streams, the bottoms of which are sandy and gravelly. They will fre-


quently bite during the whole of the day from an hour after sun-rise till within an hour of sun-set, without any particular consideration as to the state of the weather. In autumn, when the weeds begin to rot, they retire into the deep waters.

The customary method of angling for Gudgeon, is to rake up the sand or gravel, and by that means render the water thick and foul, which will make them bite the faster. Or another plan may be adopted, of throwing dried earth or dust into the river ; but if the water be made thick with rain they will not bite. They will take gentles or the cow-dung worm, but the small red-worm is the most killing bait for them. The Gudgeon is not a shy fish ; on the contrary, if they be driven from their customary places of resort, they will immediately return to them.

A single-hair line, a fine taper rod, a float and a small hook, must be used, and the bait must drag upon the ground.

In fishing for Gudgeon a rake is indispensable, with which the bottom of the river must be raked every quarter of an hour, and the fish will flock to the place in shoals.

The Gudgeon will never rise at the fly. It is a fish in some request, both for its flavour and the sport it affords to the inexperienced angler. It is very simple, and is allured by almost any kind of bait.



Eel.

It has been long a matter of dispute in what manner Eels are generated. Lacepede, the eminent French naturalist, decides, in the most unqualified terms, that they are viviporous; whilst, on the other hand, Sir Humphrey Davy, in his *Salmonia*, considers them to be oviparous. Sir Everard Home regards them as hermaphrodites. Leaving this dispute, however, to be settled by naturalists, we have only to instruct the angler in what manner they are to be caught.

The favourite haunts of Eels are still waters amongst weeds, under the roots of trees and large stones, and in the clefts of the banks of rivers. The habits of the Eel are nocturnal, and the finest and largest are usually caught with night-lines. The best bait for angling is the lob-worm, the hook small, about No. 3 or 4, and it is proper to use a small plumb or pistol-bullet. They bite best in dark cloudy weather, after showers attended with thunder and lightning.


There are two ways of fishing for Eels, peculiar to that fish alone; the first is called sniggling, which is performed as follows: Take a short strong rod, and a line exceedingly strong with a small hook, which must be baited with a lob-worm well scoured; the end of the hook must be placed slightly in the cleft of a stick, in order that it may easily slip out. With the stick and the hook thus baited, search for holes under stones, timber, roots, or about flood-gates. If an Eel be there he will certainly bite; but let him tire himself by tugging, before any attempt be made to pull him out, or otherwise the line will be broken.

The second method is called bobbing, which is thus: Take the largest garden worms, scour them well, and with a needle run a very strong thread or silk through them from end to end, as many as will lightly wrap a dozen times round your hand; then tie them fast with the other two ends of the thread or silk, in order that they may hang in so many long hanks; then fasten all to a strong cord, and about three inches above the worms fasten a piece of lead of about three quarters of a pound, making the cord fast to a long and strong pole. With the worms thus arranged, you will find the Eels tug strongly at them, and when it is supposed that they have swallowed the bait as far as they can, draw the

worms and the Eels gently up, but when they are at the top of the water, then pull them up with all your strength suddenly, and land the fish as speedily as possible.

The following is the most approved method of fixing the night-lines for Eels. Having made a sufficient number of links of twelve hairs, double them, and tie a small strong hook to each link, having an equal number of strong whip-cord lines, about twelve or fifteen yards each, which have been used, and are soft, such as old trolling or Barbel lines; fasten one end to a small stake of ash or hazel about a foot long and pointed at one end, making a noose at the other end of each line large enough to admit a Dace or a Gudgeon; fasten a bullet about a foot from the noose; take the links and bait them with Gudgeons, Minnows, or lob-worms (the former are to be preferred) by making an incision with the point of the baiting-needle at the shoulder, running it under the skin, and out at the middle of the tail, drawing the link after it. The point of the hook should be upright towards the back, and it matters not how proud, as the Eel is a most voracious fish. Take the lines to the pond or river in the evening, and unwinding a line from the stake, peg it fast to the ground near the side. Take one of the links baited, put the noose of the link upon the line, and drop the bait through

the noose upon the line. Throw the bait in a good way, but not to the extent of the line, as Eels will run a little before they gorge. A hundred of these lines may be laid in a short time.



Minnow.

THE Minnow is in season from March to Michaelmas, except immediately after spawning time. It is not inferior to any fish for the excellence of its taste. It begins to bite about an hour after sun-rise, and is taken at mid-water, or close to the bottom. The best bait is the smallest red-worm. Use a float, and the same small-sized hooks as are used for Bleak. After Michaelmas the Minnow betakes itself to the mud, or weedy places in rivers, as a preservative against floods, and a security against its becoming a prey to other fish. The Minnow is more sought after as a bait than an article of food, although Walton recommends the Minnow tansies as "a dainty dish of meat." To the young sportsman the Minnow yields plenty of amuse-

ment. In hot weather they will bite eagerly all day, and are frequently drawn out of the water from their adhering to the end of the worm. The best and easiest method of catching them is, to have three or four hooks baited with the least red-worm, or the piece of one, and a crow-quill float ; fish deeper than mid-water, or near the ground, in shallow places, in eddies, and at the sides of small streams.

Minnows are excellent baits for many fish ; when caught they should be kept in bran, which dries up the moisture, and although stiff at first, and, consequently, will not spin so well, from the bran sticking fast to them, yet after a short time it will wash off, and they will be sufficiently pliable.

Loach.

THE Loach is an inhabitant of clear rivulets, and commonly resides at the bottom among stones and gravel, and is on that account sometimes called by the name of Groundling ; it is generally about three inches long ; is of a dirty yellow colour on the back, and somewhat spotted, and white on the belly. In point of delicacy, it is said to be equal, if not superior, to most other fishes, and is cultivated with much care in some places as an article of diet. The Loach is observed to spawn in March, and is very prolific. It is frequently taken when angling for Minnows.

The Smelt.

is well known as a most delicious fish, and in angling for them an exceedingly stiff and strong top must be had to the rod, a strong gut line, heavy float, and from ten to twelve hooks, about eight or nine inches apart; the hooks will stand better from the line if tied on a fine bristle. Use No. 9 hooks, baited with a small piece of an Eel, or pieces of a Smelt, the bottom hook touching the ground. When a Smelt bites, he invariably throws the float up, almost all other fish pull it down.

They are sometimes fished for without a float, having a small piece of lead at the bottom which must just touch the ground, gently raising and sinking it till the bite is felt; this is called dip-fishing, and is the most destructive way of killing Smelts. From July to November and December, is the most proper season for angling for this fish, and the most successful time is very early or very late.

The Flounder

is originally a sea fish, without scales, which wanders far into fresh waters; the best are distinguished by red spots. They yield much sport to the angler. It commonly frequents gravelly, sandy bottoms, deep, gentle streams, or at the end of a stream, in deep, still parts of the water, and in a gentle stream that is somewhat brackish.

They bite at any worm found in marshes or meadows, which should be well scoured ; also worms that are dug up in the bed of a river near the sea. He is a crafty and greedy biter, and will nibble and suck at the bait some time before he takes it, and if he perceives the hook, will fly from it ; the bait should, therefore, be always in motion, which makes him more eager. He bites best in mild weather, with a little wind. The hook must be as small as you can conveniently bait, No. 6 or 7, and you must fish at the bottom. If a float be used, the lead to poise it being at the bottom, the float will be flat on the water ; when it cocks up, it may be concluded that a Flounder has hold of the bait, on which the rod must be eased, as he will suck the bait for some time, but is in the end sure to gorge it. Flounders are fish of prey, and will take Minnows and other small fish.

They are in season all the year, except the time of spawning, which is from the latter end of June to the middle of July ; they are then unwholesome.

Bullhead.

The Bullhead or Miller's-thumb, is to be found in almost all rivers ; it rarely exceeds the length of three inches ; its general colour is a yellowish olive, much deeper on the head and upper parts of the back ; and

the whole body is more or less clouded with small dusky specks; the fins are large and yellowish, and likewise speckled; the head is large and flat, and broader than any part of the body. This fish occasionally swims with great strength and rapidity when in pursuit of its prey, though its general habit is that of lying on the gravel, or under stones, in an apparently inert state. Notwithstanding its disagreeable appearance, it is considered as an eatable fish, and is even regarded as delicate; the flesh turns of a red or salmon colour on boiling. The Bullhead usually spawns in March and April. This fish, also, is frequently caught when angling for Minnows.

Stickleback.

THIS fish is an almost universal inhabitant of rivers, ponds, and marshes, and when in its full perfection of colour is highly beautiful; the back being of a fine olive green, the sides silvery, and the fins and belly of a bright red; the colours fade in a great degree as the season advances. The general length of this minute species is about two inches; on each side and on the back are placed several strong jagged spines, from whence it derives its name.

It is a fish of an extremely active and vigorous nature, swimming rapidly, and preying upon the smaller kind of water insects and

worms, as well as the spawn of other fishes ; and is, from this circumstance, considered highly prejudicial to fish-ponds.



Having now brought our instructions to a close, we, in our imagination, have looked at the tiny angler with "his crooked pin for his hook," and "his osier rod," and we have followed him through all the gradations of the art, until we behold him an accomplished angler, with "his flies and palmers" struggling with the Grayling and the Trout.

MORAL AND RELIGIOUS REWARD BOOKS.

SEVERAL of the writings of ABBOTT and TODD have long been celebrated in America and England, as being peculiarly adapted to the capacities and tastes of children, and eminently calculated to facilitate their advancement in Christian knowledge and duties. The publishers have been induced to offer to the Public suitable Selections from the works of these eminent authors, that poor children may be able to purchase each part at a fractional cost, and that the benevolent patrons of Sunday-schools may have fuller scope for scattering around them the seeds of virtue and religion.

ABBOTT'S WORKS IN PARTS.

Study	1d	Piety	1d
Conscientiousness	1	Traits of Character.....	1
Prayer	1	The Gate of Prayer	$\frac{1}{2}$
Happiness	1	Father's Visit to London	1
Other Worlds	2	The first real Prayer	$\frac{1}{2}$
Future Existence	1	A Talk with John	1
True Greatness.....	1	The Story of James	$\frac{1}{2}$
Youthful Piety.....	2	A Story for All.....	1
Right Principles	$\frac{1}{2}$	Love of Home	1
Responsibility	1	The Children's Bible Class	$\frac{1}{2}$
Deception	1	The Mother's Bible Class	$\frac{1}{2}$
Obedience	2	The Friend in Need	2
Religious Truth	1	The Bible to be studied..	$\frac{1}{2}$

TODD'S WORKS IN PARTS.

How do we know there is	d	God wise.....	1d
any God?	$\frac{1}{2}$	God knows every thing..	$\frac{1}{2}$
Repentance for sin	$\frac{1}{2}$	God's power	$\frac{1}{2}$
Angels' joy when sinners		Truth of God.....	$\frac{1}{2}$
repent	$\frac{1}{2}$	God does as he pleases ..	$\frac{1}{2}$
What Faith is, and what		God is holy	$\frac{1}{2}$
its use is	$\frac{1}{2}$	God is good	1
God will take care of us ..	$\frac{1}{2}$	The Christian Slave, and	
Jesus Christ tasting death	$\frac{1}{2}$	the Squirrel.....	$\frac{1}{2}$
Christ interceding for us ..	$\frac{1}{2}$	The Widow's Son, and the	
Giving account to God ..	$\frac{1}{2}$	Praying Widow's Son	$\frac{1}{2}$
Great events hang on little		The Summer-Evening	
things	$\frac{1}{2}$	Dream, and the Jew ..	$\frac{1}{2}$
Fragments all to be saved	$\frac{1}{2}$	Two Scenes in Virginia..	$\frac{1}{2}$
Sabbath to be kept holy ..	$\frac{1}{2}$	The Mountain Cottage ..	$\frac{1}{2}$
The grave losing its victory	$\frac{1}{2}$	The Pastor's Daughter ..	$\frac{1}{2}$
Address to Mothers	1	Religion in the Cottage..	$\frac{1}{2}$
Is there any God?	2	The Orphan, and the	
God a spirit	$\frac{1}{2}$	Pastor's Funeral	$\frac{1}{2}$
God eternal	$\frac{1}{2}$	The Missionary	$\frac{1}{2}$
God is every where.....	1	True Heroism	1

